



Uranenergo, LLP
Power supply organization
of uranium mining enterprises
of NAC Kazatomprom, JSC

ATTN: O.N. Ekaterinina
Director General
of SKB EP, LLC

Review to MIKO-9A milli-ohmmeter

Dear Olga Nikolaevna!

For 1 year MIKO-9A milli-ohmmeter is been used in the laboratory of the insulation and over voltage protection testing service.

The device is used to test the resistance of substation equipment. During the operation, device was distinguished by its simplicity in assembling the measuring circuit, reliability when taking into account operation temperature conditions, relative speed of measurements that makes it possible to reduce the time during testing. The compactness and low weight of the device simplify the operation and transportation process. The resistance measurement function is the best because of the accuracy and quick detection of results. It is also worth noting that the mode of non-demountable diagnostic of OLTC devices is very convenient for assessing the state of the switching device and significantly reduces the amount of work. Since the device has been used relatively recently, no electrical equipment malfunctions have been detected.

Despite the short period of use, for the quality, versatility and conformity of price and quality, Uranenergo, LLP confidently recommends MIKO-9A for testing high-voltage equipment, and hopes for the appearance of new and innovative devices manufactured by SKB EP, LLC.

Head of Insulation Testing
and Over Voltage Protection Service

